
























	CARATTERISTICHE TECNICHE TECHNICAL CHARACTERISTICS CARACTÉRISTIQUES TECHNIQUES TECHNISCHE EIGENSCHAFTEN CARACTERÍSTICAS TÉCNICAS	metodo di prova iso test method iso méthode d'essai iso prüfmethode iso método de prueba iso	requisiti prescritti required values / valeurs requises vorgeschriebener wert requisitos prescritos iso 13006 - G / en 14411 - G Bla ugl	
	assorbimento d'acqua (E) water absorption (E) absorption d'eau (E) wasserabsorption (E) absorción de agua (E)	iso 10545-3	≤ 0,5%	
	resistenza alla flessione bending strength résistance à la flexion beigefestigkeit resistencia a la flexión	iso 10545-4	≥ 35 N/mm ²	
	sforzo di rottura (S) breaking strength (S) chargement de rupture (S) bruchlast (S) esfuerzo de rotura (S)	iso 10545-4	≥ 700 N	
	resistenza all'abrasione profonda résistance to deep abrasion résistance à l'abrasion profonde widerstand gegen tiefenabrier resistencia a la abrasión profunda	iso 10545-6	≤ 175 mm ³	
	resistenza a compressione resistance to compression résistance à la compression druckfestigkeit resistencia a compresión	-	-	
	resistenza agli sbalzi termici thermal shock resistance résistance aux chocs thermiques temperaturwechselbeständigkeit resistencia a los cambios térmico	iso 10545-9	requisito non previsto iso makes no provision for this test	
	resistenza al gelo frost resistance résistance au gel frostbeständigkeit resistencia al hielo	iso 10545-12	nessuna alterazione no alterations	
	resistenza attacco chimico chemical resistance résistance chimique chemischee beständigkeit resistencia unión química	iso 10545-13	come indicato dal produttore as indicated by manufacturer	
	resistenza alle macchie stain resistance résistance aux taches fleckenbeständigkeit resistencia a las manchas	iso 10545-14	≥ classe 3	
	caratteristiche dimensionali dimensions caracteristiques dimensionnelles scitenmasse características dimensionales	lunghezza e larghezza length and width longueur et largeur länge und breite longitud y ancho	iso 10545-2	± 0,6%
		rettezza spigoli straightness of sides rectitude des arêtes kantengeradheit rectilineidad ángulos	iso 10545-2	± 0,5%
		ortogonalità rectangularity orthogonalité rechtwinkigkeit ortogonalidad	iso 10545-2	± 0,6%
		planarità warpage planéité ebenflächigkeit planicidad	iso 10545-2	± 0,5%
		spessore thickness épaisseur stärke espesor	iso 10545-2	± 5%
	CARATTERISTICHE DI RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE FEATURES CARACTÉRISTIQUES DE RESISTANCE AU GLISSEMENT EIGENSCHAFTEN RUTSCHFESTIGKEIT CARACTERÍSTICAS DE RESISTENCIA AL DESLIZAMIENTO	metodo di prova test method méthode d'essai prüfmethode método de prueba	referimenti per la classificazione references for the classification références pour la classification hinweise für die einstuftung referencias para la clasificación	
	coefficiente di attrito dinamico	B.C.R. tortus	>0,40 L. 13/89 - DM. 236/89 D. Lgs. 503/96 cuoio - asciutto / gomma - bagnato	
	resistenza allo scivolamento slip resistance résistance au glissement rutschfestigkeit resistencia al deslizamiento	din 51130	r9 6° ≤ α ≤ 10° r10 10° < α ≤ 19°	



*valore medio riferito al materiale ceramico - average value referred to ceramic material only

**valore medio riferito al pezzo completo (lastra e rinforzo) - average value referred to the all-in-one piece (slab and fiberglass)

valori values / valeur / wert / valores LEA slimtech 3mm	valori values / valeur / wert / valores LEA slimtech 3plus	valori values / valeur / wert / valores LEA slimtech 5plus
≤0,1%	≤0,1%*	≤0,1%*
≥ 35 N/mm ²	≥ 120 N/mm ^{2**}	≥ 55 N/mm ^{2**}
non richiesto materiale da rivestimento not required for wall tiles	≥ 1000 N**	≥ 1200 N**
conforme compliant conforme gemäß igual	conforme compliant conforme gemäß igual	conforme compliant conforme gemäß igual
non richiesto materiale da rivestimento not required for wall tiles	≥ 400 N/mm ²	≥ 400 N/mm ²
resistente resistant résistant beständig resistente	resistente resistant résistant beständig resistente	resistente resistant résistant beständig resistente
resistente resistant résistant beständig resistente	resistente resistant résistant beständig resistente	resistente resistant résistant beständig resistente
ula - uha (resistente) (resistant) (résistant) (beständig) (resistente)	ula - uha (resistente) (resistant) (résistant) (beständig) (resistente)	ula - uha (resistente) (resistant) (résistant) (beständig) (resistente)
classe 5 (resistente) (resistant) (résistant) (beständig) (resistente)	classe 5 (resistente) (resistant) (résistant) (beständig) (resistente)	classe 5 (resistente) (resistant) (résistant) (beständig) (resistente)
± 0,6%	± 0,6%	+ 0,6%
± 0,2%	± 0,2%	+ 0,2%
± 0,2%	± 0,2%	+ 0,2%
± 0,5%	± 0,5%	+ 0,5%
± 5%	± 5%	+ 5%
slimtech 3mm	slimtech 3plus	slimtech 5plus
non richiesto materiale da rivestimento	μ>0,40 (gouache.10 - shade basaltina stone project - mauk)	μ>0,40 (wood-stock)
non richiesto materiale da rivestimento not required for wall tiles	r9 (gouache.10 - shade basaltina stone project - mauk)	r10 (wood-stock)

TECHNICAL SPECIFICATIONS	test method	requirements ansi a137.1 porcelain tiles - P1 class	
 water absorption (E)	astm c373	≤ 0.5%	
 breaking strength	astm c648	≥ 250 pounds	
 resistance to abrasion wear	astm c501	lw ≥ 100	
 deep abrasion resistance	astm c1243	≤ 175 mm ³	
 linear thermal expansion	astm c372	not required	
 thermal shock	astm c484	no alterations	
 chemical resistance	astm c650	not required	
 frost resistance	astm c1026	not required	
 bond resistance	astm c482	≥ 50 PSI	
 stains resistance	CTI 81-7 Ann. D	not required	
 dimensions	edge warpage	astm c485	± 0.40% or max ± 0.05 inch for tiles up to 24"x24" or max ± 0.07 inch for tiles larger than 24"x24"
	diagonal warpage	astm c485	± 0.40% or max ± 0.07 inch
	nominal dimensions	astm c499	- 3.0% / + 2.0% of normal dimensions
	caliber range	astm c499	± 0.25% or max ± 0.03 inch
	tickness	astm c499	≤ 0.040 inch
	wedging	astm c502	± 0.25% or max ± 0.03 inch

SLIP RESISTANCE ACCORDING TO CERAMIC TILE INSTITUTE CLASSIFICATION

TECHNICAL SPECIFICATIONS	test method	requirements
 coefficient of friction	astm c1028	COF < 0.50 questionable 0.50 ≤ COF < 0.50 conditionally slip resistant COF ≥ 0.60 slip resistant
 dynamic coefficient of friction	ansi a137.1: 2012 (BOT 3000)	DCOF ≥ 0.42 (wet internal spaces)

slimtech 3mm	slimtech 3plus	slimtech 5plus
compliant	compliant*	compliant*
not required wall tiles	compliant**	compliant**
lw ≥ 200	lw ≥ 200	lw ≥ 200
compliant	compliant	compliant
$\alpha \leq 8 \cdot 10^{-6} \text{ } ^\circ\text{C}^{-1}$ $\alpha \leq 4.4 \cdot 10^{-6} \text{ } ^\circ\text{F}^{-1}$	$\alpha \leq 8 \cdot 10^{-6} \text{ } ^\circ\text{C}^{-1}$ $\alpha \leq 4.4 \cdot 10^{-6} \text{ } ^\circ\text{F}^{-1}$	$\alpha \leq 8 \cdot 10^{-6} \text{ } ^\circ\text{C}^{-1}$ $\alpha \leq 4.4 \cdot 10^{-6} \text{ } ^\circ\text{F}^{-1}$
resistant	resistant	resistant
resistant	resistant	resistant
resistant	resistant	resistant
compliant	compliant	compliant
resistant	resistant	resistant
compliant	compliant	compliant
compliant	compliant	compliant
± 1.5%	± 1.5%	± 1.5%
compliant	compliant	compliant
≤ 0.030 inch	≤ 0.030 inch	≤ 0.030 inch
compliant	compliant	compliant
slimtech 3mm	slimtech 3plus	slimtech 5plus
not required wall tiles	dry - neolite COF ≥ 0.60 wet - neolite COF ≥ 0.60 (gouache.10 - shade basaltina stone project - mauk)	dry - neolite ≥ 0.60 wet - neolite ≥ 0.60 (wood-stock)
not required wall tiles	DCOF ≥ 0.42 (gouache.10 - shade basaltina stone project - mauk)	DCOF ≥ 0.42 (wood-stock - absolute sat timeless marble sat)

*average value referred to ceramic material

**average value referred to the all-in-one piece (slab and fiberglass)

ABSOLUTE SLIMTECH

articolo			scatola			europallet		
	cm	inch	pz.	mq	kg	scat.	mq	kg
fondo 5plus	100x300	39"x118"	1	3,00	34,5	8 pz/pl	24,0	276,0
fondo 5plus	100x100	39"x39"	2	2,00	23,0	25 pz/pl	50,0	575,0
fondo 5plus	33x100	13"x39"	4	1,32	16,0	36 pz/pl	47,5	576,0

BASALTINA STONE PROJECT SLIMTECH

articolo			scatola			europallet		
	cm	inch	pz.	mq	kg	scat.	mq	kg
fondo 3mm	100x300	39"x118"	1	3,00	22,2	13 pz/pl	39,0	288,6
fondo 3plus	100x300	39"x118"	1	3,00	25,4	12 pz/pl	36,0	304,2
fondo 3plus	100x100	39"x39"	3	3,00	24,1	25	75,0	602,5
fondo 3mm	50x100	19 1/2"x39"	5	2,50	17,8	32	80,0	569,6
fondo 3plus	50x100	19 1/2"x39"	5	2,50	20,0	32	80,0	640,0
fondo 3plus	50x50	19 1/2"x19 1/2"	7	1,75	14,0	48	84,0	672,0
fondo 3mm	4,9x100	2"x39"	10	0,49	4,0	39	19,1	156,0
fondo 3plus	4,9x100	2"x39"	10	0,49	4,2	39	19,1	163,8
mosaico quadro	25x25	10"x10"	10	0,63	4,6	60	37,5	276,0
mosaico mattone	25x25	10"x10"	10	0,63	4,6	60	37,5	276,0
mosaico striscia	25x50	10"x19 1/2"	10	1,25	6,9	60	75,0	414,0
mosaico listello	25x50	10"x19 1/2"	10	1,25	6,9	60	75,0	414,0
mosaico metal	50x100	19 1/2"x39"	2	1,00	9,9	25	25,0	247,6
mosaico glitter	50x100	19 1/2"x39"	2	1,00	8,8	25	25,0	220,8
mosaico inox	25x25	10"x10"	10	0,63	4,6	60	37,5	276,0
mosaico satin	25x25	10"x10"	10	0,63	4,6	60	37,5	276,0
mosaico pearl	25x25	10"x10"	10	0,63	4,6	60	37,5	276,0

GOUACHE.10 SLIMTECH

articolo			scatola			europallet		
	cm	inch	pz.	mq	kg	scat.	mq	kg
fondo 3mm	100x300	39"x118"	1	3,00	22,2	13 pz/pl	39,0	288,6
fondo 3plus	100x300	39"x118"	1	3,00	25,4	12 pz/pl	36,0	304,2
fondo 3plus	100x100	39"x39"	3	3,00	24,1	25	75,0	602,5
fondo 3mm	50x100	19 1/2"x39"	5	2,50	17,8	32	80,0	569,6
fondo 3plus	50x100	19 1/2"x39"	5	2,50	20,0	32	80,0	640,0
fondo 3plus	50x50	19 1/2"x19 1/2"	7	1,75	14,0	48	84,0	672,0
fondo 3plus	4,9x100	2"x39"	10	0,49	4,2	39	19,1	163,8
decoro libeccio	15,4x22,3	6 1/8"x8 3/4"	10	0,34	2,8	80	27,5	224,0

LINES SLIMTECH

articolo			scatola			europallet		
	cm	inch	pz.	mq	kg	scat.	mq	kg
fondo 3plus	100x300	39"x118"	1	3,00	25,4	12 pz/pl	36,0	304,2

Per ordini inferiori alle 5 lastre (100x300cm) e 15 lastre (33x300cm) sarà addebitato il costo del pallet a Euro 80,00 netto. - The cost of the pallet, Euro 80,00 net, will be charged for orders less than 5 slabs (size 100x300 cm) and 15 slabs (33x300 cm). - Pour toutes commandes inférieures à 5 dalles (100x300cm) et 15 dalles (33x300cm), un cout de 80 Euro correspondant au cout de la palette sera ajouté. - bei Abnahme einer Menge unter 5 Platten von 100x300 cm und unter 15 Platten von 33x300 cm werden Euro 80,00 Netto für Verpackung/Palette belastet. - Por pedidos inferiores a las 5 piezas (100x300cm) y 15 piezas (33x300cm) adeudaremos el coste del palet de 80 Euro neto.

MAUK SLIMTECH

articolo			scatola			europallet		
	cm	inch	pz.	mq	kg	scat.	mq	kg
cuadra 3plus	57,6	22 ^{5/8} "	6	1,73	15,5	5	8,6	77,5
esa 3plus	38,3	15 ^{1/8} "	12	0,77	6,4	20	15,4	127,0
spina 3mm	25,8x13,5x8,7	10 ^{1/8} "x5 ^{3/8} "x3 ^{3/8} "	15	0,18	1,5	80	14,8	120,0

NEST SLIMTECH

articolo			scatola			europallet		
	cm	inch	pz.	mq	kg	scat.	mq	kg
esagono L 50 (3,5mm)	100x86,6	39"x34 ^{1/8} "	3	1,95	15,6	-	-	-
esagono L 25 (3,5mm)	50x43,2	19 ^{1/2} "x17"	11	1,78	14,5	-	-	-
esagono L 6,2 (3,5mm)	12,5x10,8	5"x4 ^{1/4} "	22	0,22	2,0	-	-	-
ett.+tria. L 50 (3,5mm)	100x86,6	39"x34 ^{1/8} "	3	1,95	15,6	-	-	-
ett.+tria. L 25 (3,5mm)	50x43,2	19 ^{1/2} "x17"	11	1,78	14,5	-	-	-
ett.+tria. L 6,2 (3,5mm)	12,5x10,8	5"x4 ^{1/4} "	22	0,22	2,0	-	-	-
esagono L 50 (5,5mm)	100x86,6	39"x34 ^{1/8} "	2	1,30	16,6	-	-	-
esagono L 25 (5,5mm)	50x43,2	19 ^{1/2} "x17"	7	1,13	14,7	-	-	-
esagono L 6,2 (5,5mm)	12,5x10,8	5"x4 ^{1/4} "	14	0,14	2,1	-	-	-
ett.+tria. L 50 (5,5mm)	100x86,6	39"x34 ^{1/8} "	2	1,30	16,6	-	-	-
ett.+tria. L 25 (5,5mm)	50x43,2	19 ^{1/2} "x17"	7	1,13	14,7	-	-	-
ett.+tria. L 6,2 (5,5mm)	12,5x10,8	5"x4 ^{1/4} "	14	0,14	2,1	-	-	-

I decori NEST sono venduti esclusivamente a scatola intera. All'interno delle scatole sono presenti pezzi dello stesso colore. Esclusivamente nel caso del decoro ETTAGONO+TRIANGOLO ottenuto dalla collezione PIXEL esiste la possibilità di imballo personalizzato con colori differenti tra i 2 pezzi (ettagono e triangolo).

The NEST decors are sold only as full cases; one color per case. For the Heptagon+Triangle decors obtained using PIXEL colors, the packaging can be customized to include different colors for the two pieces.

PIXEL SLIMTECH

articolo			scatola			europallet		
	cm	inch	pz.	mq	kg	scat.	mq	kg
fondo 3plus	100x300	39"x118"	1	3,00	25,4	12 pz/pl	36,0	304,2
fondo 3plus	50x100	19 ^{1/2} "x39"	5	2,50	20,0	32	80,0	640,0
fondo 3plus	12,5x50	5"x19 ^{1/2} "	15	0,94	7,5	64	60,0	480,0

RE-evolution SLIMTECH

articolo			scatola			europallet		
	cm	inch	pz.	mq	kg	scat.	mq	kg
fondo 3mm	100x300	39"x118"	1	3,00	22,2	13 pz/pl	39,0	288,6
fondo 3plus	100x300	39"x118"	1	3,00	25,4	12 pz/pl	36,0	304,2
fondo 3plus	100x100	39"x39"	3	3,00	24,1	25	75,0	602,5
fondo 3mm	50x100	19 ^{1/2} "x39"	5	2,50	17,8	32	80,0	569,6
fondo 3plus	50x100	19 ^{1/2} "x39"	5	2,50	20,0	32	80,0	640,0
fondo 3plus	50x50	19 ^{1/2} "x19 ^{1/2} "	7	1,75	14,0	48	84,0	672,0
fondo 3plus	4,9x100	2"x39"	10	0,49	4,2	39	19,1	163,8
micromosaico	25x25	10"x10"	16	1,00	4,4	-	-	-
cornice	5,5x50	2 ^{1/8} "x19 ^{1/2} "	6	0,17	2,4	-	-	-
battiscopa	12x50	4 ^{3/4} "x19 ^{1/2} "	6	3,6 m.l.	4,2	-	-	-

Per ordini inferiori alle 5 lastre (100x300cm) e 15 lastre (33x300cm) sarà addebitato il costo del pallet a Euro 80,00 netto. - The cost of the pallet, Euro 80,00 net, will be charged for orders less than 5 slabs (size 100x300 cm) and 15 slabs (33x300 cm). - Pour toutes commandes inférieures à 5 dalles (100x300cm) et 15 dalles (33x300cm), un cout de 80 Euro correspondant au cout de la palette sera ajouté. - bei Abnahme einer Menge unter 5 Platten von 100x300 cm und unter 15 Platten von 33x300 cm werden Euro 80,00 Netto für Verpackung/Palette belastet. - Por pedidos inferiores a las 5 piezas (100x300cm) y 15 piezas (33x300cm) adeudaremos el coste del palet de 80 Euro neto.

SHADE SLIMTECH

articolo			scatola			europallet		
	cm	inch	pz.	mq	kg	scat.	mq	kg
fondo 3mm	100x300	39"x118"	1	3,00	22,2	13 pz/pl	39,0	288,6
fondo 3plus	100x300	39"x118"	1	3,00	25,4	12 pz/pl	36,0	304,2
fondo 3plus	100x100	39"x39"	3	3,00	24,1	25	75,0	602,5
fondo 3mm	50x100	19 1/2"x39"	5	2,50	17,8	32	80,0	569,6
fondo 3plus	50x100	19 1/2"x39"	5	2,50	20,0	32	80,0	640,0
fondo 3plus	50x50	19 1/2"x19 1/2"	7	1,75	14,0	48	84,0	672,0
fondo 3plus	4,9x100	2"x39"	10	0,49	4,2	39	19,11	163,8

STREETS IN SHADE SLIMTECH

articolo			scatola			europallet		
	cm	inch	pz.	mq	kg	scat.	mq	kg
decoro streets 3mm	50x100	19 1/2"x39"	2	1,00	7,1	30	30,0	213,6

STUDIES IN GOUACHE SLIMTECH

articolo			scatola			europallet		
	cm	inch	pz.	mq	kg	scat.	mq	kg
decoro grid 3plus	50x100	19 1/2"x39"	3	1,50	11,0	30	45,0	330,0
decoro knit 3plus	50x100	19 1/2"x39"	3	1,50	11,0	30	45,0	330,0
decoro moire b 3plus	50x100	19 1/2"x39"	3	1,50	11,0	30	45,0	330,0
decoro scratch 3plus	50x100	19 1/2"x39"	3	1,50	11,0	30	45,0	330,0

TIMELESS MARBLE SLIMTECH

articolo			scatola			europallet		
	cm	inch	pz.	mq	kg	scat.	mq	kg
fondo 5plus	100x300	39"x118"	1	3,00	34,5	8 pz/pl	24,0	276,0
fondo 5plus	100x100	39"x39"	2	2,00	23,0	25 pz/pl	50,0	575,0
fondo 5plus	50x150	19 1/2"x59"	2	1,50	17,5	32 pz/pl	48,0	560,0
fondo 5plus	33x100	13"x39"	4	1,32	16,0	36 pz/pl	47,5	576,0

TYPE 32 SLIMTECH

articolo			scatola			europallet		
	cm	inch	pz.	mq	kg	scat.	mq	kg
fondo 5plus	20x200	8"x79"	3	1,20	15,0	40	48,0	600,0

Per ordini inferiori alle 5 lastre (100x300cm) e 15 lastre (33x300cm) sarà addebitato il costo del pallet a Euro 80,00 netto. - The cost of the pallet, Euro 80,00 net, will be charged for orders less than 5 slabs (size 100x300 cm) and 15 slabs (33x300 cm). - Pour toutes commandes inférieures à 5 dalles (100x300cm) et 15 dalles (33x300cm), un cout de 80 Euro correspondant au cout de la palette sera ajouté. - bei Abnahme einer Menge unter 5 Platten von 100x300 cm und unter 15 Platten von 33x300 cm werden Euro 80,00 Netto für Verpackung/Palette belastet. - Por pedidos inferiores a las 5 piezas (100x300cm) y 15 piezas (33x300cm) adeudaremos el coste del palet de 80 Euro neto.

WAVES SLIMTECH

articolo	cm		scatola			europallet		
	cm	inch	pz.	mq	kg	scat.	mq	kg
fondo 3plus	100x300	39"x118"	1	3,00	25,4	12 pz/pl	36,0	304,2

WOOD-STOCK SLIMTECH

articolo	cm		scatola			europallet		
	cm	inch	pz.	mq	kg	scat.	mq	kg
fondo 5plus	33x300	13"x118"	1	0,99	12,5	24 pz/pl	23,8	299,7
fondo 5plus	20x200	8"x79"	3	1,20	15,0	40	48,0	600,0
fondo 5plus	20x150	8"x59"	3	0,90	11,3	60	54,0	675,0
fondo 5plus	20x100	8"x39"	3	0,60	7,5	60	36,0	450,0

Nota relativa agli imballi

Tutti i dati relativi gli imballi indicati nel presente catalogo sono da ritenersi puramente indicativi e potrebbero subire variazioni.

Information regarding packaging

All information regarding packaging in this catalogue are considered purely indicative and subject to change.

Note informative concernant les emballages

Les valeurs des emballages déclarées sur ce catalogue sont purement indicatives et elles pourront être modifiées.

Kennzeichen fuer die Verpackungseinheiten

Die Angaben diesen Verpackungen sind rein indikativ und koennen veraendert werden.

Nota informativa relativa a los imballages

Todos los datos relativos a los embalajes indicados en la presente catalogo se retienen puramente indicativos y podrían sufrir variaciones.

Per ordini inferiori alle 5 lastre (100x300cm) e 15 lastre (33x300cm) sarà addebitato il costo del pallet a Euro 80,00 netto. - The cost of the pallet, Euro 80,00 net, will be charged for orders less than 5 slabs (size 100x300 cm) and 15 slabs (33x300 cm). - Pour toutes commandes inférieures à 5 dalles (100x300cm) et 15 dalles (33x300cm), un cout de 80 Euro correspondant au cout de la palette sera ajouté. - bei Abnahme einer Menge unter 5 Platten von 100x300 cm und unter 15 Platten von 33x300 cm werden Euro 80,00 Netto für Verpackung/Palette belastet. - Por pedidos inferiores a las 5 piezas (100x300cm) y 15 piezas (33x300cm) adeudaremos el coste del palet de 80 Euro neto.




iso 14001



iso 9001




emas



casaclima **



leed*



marchio CE



*** LEED**

Lea Ceramiche, tramite la holding Panariagroup Industrie Ceramiche S.p.A., è socio ordinario del Green Building Council e del GBC Italia. Through Panariagroup Industrie Ceramiche S.p.A., Lea Ceramiche is an ordinary member of the Green Building Council and the GBC Italia. Par le biais de Panariagroup Industrie Ceramiche S.p.A., Lea Ceramiche est membre ordinaire du Green Building Council et du GBC Italia. Lea Ceramiche, durch die Holding Panariagroup Industrie Ceramiche S.p.A., ist ordentliches Mitglied von dem Green Building Council und dem GBC Italien. Lea Ceramiche, a través del holding Panariagroup Industrie Ceramiche S.p.A., es miembro afiliado del Consejo Construcción Verde y del Consejo Construcción Verde de Italia.

**** CASACLIMA**

Lea Ceramiche, tramite la holding Panariagroup Industrie Ceramiche S.p.A., ha ottenuto la certificazione Partner Casaclima. Through Panariagroup Industrie Ceramiche S.p.A., Lea Ceramiche has obtained the Partner Casaclima certification. Par le biais de Panariagroup Industrie Ceramiche S.p.A., Lea Ceramiche a obtenu la certification Partner Casaclima. Lea Ceramiche, durch die Holding Panariagroup Industrie Ceramiche S.p.A., hat die Bescheinigung als Partner Casaclima bekommen. Lea Ceramiche, a través del holding Panariagroup Industrie Ceramiche S.p.A., ha obtenido la certificación Partner Casaclima.

